DATE :_	Aug. 22, 2005	Paper No.:
Γ O SPE OF : A	RT UNIT 3721	
SUBJECT : R	Request for Certificate of C	orrection on Patent No.: 6,805,207
A response is req	uested with respect to t	he accompanying request for a certificate of correction.
Palm location 7	580, Certificates of C	with file, within 7 days to: Correction Branch – South Tower – 9A22 mployee (named below) via PUBSCofC Team in
MADRAS. With respect to the patent read as sh	ne change(s) requested,	, correcting Office and/or Applicant's errors, should the correction (COCIN)? No new matter should be introduced, nor
See IFW code Pet.S	tatus, Cocin, and Imis rega	rding Inventorship and IDSI SP STM
	•	/
Гhank You For Yo	eur Assistance	Certificates of Correction Branch Tel. No. 703-308-9390 x120
The request fo	r issuing the above-i	parameter and the same and
The request fo	r issuing the above-i	Tel. No. 703-308-9390 x120
The request for Note your decision on the	r issuing the above-ine appropriate box.	Tel. No. 703-308-9390 x120 identified correction(s) is hereby:
The request for Note your decision on the	r issuing the above-ine appropriate box. oproved oproved in Part	Tel. No. 703-308-9390 x120 identified correction(s) is hereby: All changes apply.
The request for Note your decision on the Ap	r issuing the above-ine appropriate box. oproved oproved in Part	Tel. No. 703-308-9390 x120 identified correction(s) is hereby: All changes apply. Specify below which changes do not apply.
The request for Note your decision on the Ap	r issuing the above-ine appropriate box. oproved oproved in Part	Tel. No. 703-308-9390 x120 identified correction(s) is hereby: All changes apply. Specify below which changes do not apply.
The request for Note your decision on the Ap	r issuing the above-ine appropriate box. oproved oproved in Part	Tel. No. 703-308-9390 x120 identified correction(s) is hereby: All changes apply. Specify below which changes do not apply.
The request for Note your decision on the Ap	r issuing the above-ine appropriate box. oproved oproved in Part	Tel. No. 703-308-9390 x120 identified correction(s) is hereby: All changes apply. Specify below which changes do not apply.
Note your decision on the Ap	r issuing the above-ine appropriate box. oproved oproved in Part	Tel. No. 703-308-9390 x120 identified correction(s) is hereby: All changes apply. Specify below which changes do not apply.

PTOL-306 (REV. 7/03)

SPE Art Unit
U.S. DEPARTMENT OF COMMERCE Patent and Trademark Office

SPE RESPONSE FOR CERTIFICATE OF CORRECTION